

**To:** Courtnage, Robert[Courtnage.Robert@EPA.GOV]  
**Cc:** Jon, Jay[Jon.Jay@epa.gov]  
**From:** Nordgren, Judith  
**Sent:** Fri 5/12/2017 6:35:23 PM  
**Subject:** Response to EPA Questions  
[Response to EPA Questions.pdf](#)  
[Attach 1 - CI Pamphlet 137.pdf](#)  
[Attach 2 - NESHAP compliance.pdf](#)  
[Attach 3 - NPDES information.pdf](#)  
[Attach 4 - Water filtration PFD.pdf](#)  
[Attach 5 - Asbestos handling PFD.pdf](#)  
[Attach 6 - Asbestos dust collector preventative maintenance.pdf](#)  
[Attach 7 - Workplace monitoring data.pdf](#)

Dear Robert,

Please find attached the ACC Chlorine Chemistry Division's response to your request for additional information. I apologize for my delay in getting this to you, however, I trust you will find this information helpful. Please let me know if you have any other questions. I will be out of the country next week but will be following emails.

Have a wonderful weekend and Mother's Day with your family,

Judith

Judith Drew Nordgren | American Chemistry Council  
Managing Director Chlorine Chemistry Division  
700 2nd Street NE Washington DC 20002  
O | 202.249.6709  
[www.americanchemistry.com/chlorine](http://www.americanchemistry.com/chlorine)

+++++ This message may contain confidential information and is intended only for the individual named. If you are not the named addressee do not disseminate, distribute or copy this email. Please notify the sender immediately by email if you have received this email by mistake and delete this email from your system. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message which arise as a result of email transmission. American Chemistry Council, 700 – 2nd Street NE, Washington, DC 20002, [www.americanchemistry.com](http://www.americanchemistry.com)